

Downgraded to **RESTRICTED**

NOV 29 1949

by auth of The SG

Initials

Paylor


Aug 7. 43
Sept 12. 43

CONTROL APPROVAL SYMBOL
SPMCS-85Downgraded to **RESTRICTED**


NOV 29 1949

by auth. of The SG
Initials**WEEKLY HEALTH REPORT**CURRENT MORBIDITY DATA FOR THE ARMY
IN THE CONTINENTAL UNITED STATES


WEEK ENDING 6 JULY 1945

ANNUAL MORBIDITY RATE FROM ALL CAUSES COMBINED
PER 1000 STRENGTH

DISEASE



INJURY

SPECIAL SECTIONS
ON
HEALTH OF THE WAC
AND
MORTALITY IN 1944ARMY MEDICAL
FEB 26 1946
LIBRARY

(Document)
U.S. War Dept.

THIS DOCUMENT CONTAINS INFORMATION
AFFECTING THE NATIONAL DEFENSE OF THE
UNITED STATES WITHIN THE MEANING OF THE
ESPIONAGE ACT, 50 U. S. C., 31 AND 32, AS
AMENDED. ITS TRANSMISSION OR THE REVELA-
TION OF ITS CONTENTS IN ANY MANNER TO AN
UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

WEEKLY HEALTH REPORT

CONTENTS

DATA FOR WEEK ENDING 6 JULY 1945

	PAGE
NATURE OF THE DATA	2
COMMENT ON CURRENT TRENDS	5
SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS	10
MORBIDITY DATA FOR INDIVIDUAL STATIONS (OTHER THAN GENERAL HOSPITALS) HAVING A STRENGTH OF 5000 OR OVER	12
STATIONS WITH HIGHEST MORBIDITY RATES	21
CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST	22

REVIEW OF HEALTH CONDITIONS FOR WAG IN JUNE

COMMENT ON CURRENT TRENDS	23
MORBIDITY AND HOSPITALIZATION DATA FOR INDIVIDUAL STATIONS	26

DEATHS BY CAUSE IN 1944

29

WEEKLY HEALTH REPORT

NATURE OF THE DATA

The data presented here are taken from the Statistical Health Reports, Form 86ab, rendered weekly to the Office of The Surgeon General by every hospital and separate dispensary in the continental United States. Troops in transit and certain small detachments are not required to submit reports; for this and other reasons, total strength of reporting units has been consistently about 1 percent below the actual strength of the Army in this country. The mean strength shown for individual stations is that of Army personnel attached or assigned for medical care and does not include organizations not on the post but dependent on the station for hospitalization.

Because of the desirability of placing the information in circulation at the earliest possible time following its receipt, figures are in general shown herein as reported. Where there is some doubt as to the accuracy of the reported figures, their verification is requested, and the fact that they have been so questioned is indicated by the symbol (1).

MORBIDITY DATA

Admissions are reported only for cases admitted to a medical installation (either to hospital or quarters) and not returned to duty within the same day, except for certain cases carded for record only (chiefly venereal disease cases treated on a duty status, and deaths which occurred before admission to hospital or quarters). Admissions designated as "injury" comprise all "new" traumatisms (i.e., morbid conditions due to external causes, including poisons taken internally, results of exposure to heat, cold and light, as well as various types of wounds not due to enemy action) other than battle casualties. Under present conditions there would not be any direct admissions in the continental United States properly classifiable as battle casualties. All cases other than those of injury or battle casualty are classified as "disease."

Admission rates are shown for all causes combined, for all diseases combined, for injuries and for a few specific diseases. These rates are presented on an annual basis to facilitate comparisons with corresponding rates in annual and monthly reports. Such annual rates of admission indicate the number of admissions per thousand mean strength which would occur over a year's time if the current week's experience continued for a year.

The report also shows the number of cases of the more common communicable and certain other diseases of special interest. It may be noted that under the term infectious hepatitis are included cases reported as jaundice and cholangitis. Appended is a list of cases reported for the rarer communicable and certain other diseases.

The average proportion of the daily strength of the command which is confined to hospital or quarters (mean number of non-effectives per thousand strength) is given in the summary table for the total United States and for each of the Service Commands. More significant is the estimated non-effective rate for personnel stationed in the United States shown in the chart on page 7.

The number of enlisted men discharged during the week on Certificates of Disability for Discharge (CDD) are shown for individual stations. These data should be distinguished from the figures for "honorable discharges for physical and mental disqualification" assembled by The Adjutant General's Office; the latter include discharges for inaptness in addition to CDD's and are tabulated on a somewhat different basis (e.g., the April data represent April discharges processed by the AGO during April and May plus discharges prior to April which were processed in May).

In making comparisons between Service Commands it should be borne in mind that morbidity rates naturally tend to be higher in those Service Commands which have a relatively large number of General Hospitals and Ports of Embarkation. The presence of sizeable numbers of troops not under the jurisdiction of a Service Command (e.g. casualls, task force troops, etc.) affects the interpretation of the data from the viewpoint of Command responsibility.

MORTALITY DATA

Recent studies indicate that the reporting of deaths on Forms 86ab is incomplete, especially in the case of deaths from injury. The resulting understatement in the mortality rate from injury may be as much as 15 percent and occasionally even more, but the death rate from disease is not materially understated. Therefore in computing mortality rates from injury and from all causes on the basis of the corresponding numbers of deaths, as shown in this report, an appropriate adjustment for the underreporting of such deaths must be made.

STATIONS WITH HIGHEST MORBIDITY RATES

Included in the report is a table listing the stations (having strength of 5000 or over) with the highest morbidity rates from all causes, from all diseases combined, from injuries, and from a few specific diseases. Not infrequently, the excessively high rates of admission for all causes and for all diseases combined reported from reception centers reflect a large number of venereal disease cases among newly inducted men. Therefore, more significant of high morbidity from disease are the rates of admission for disease excluding venereal infections existing prior to induction, which rates are also shown in the table. It should also be noted that reception, redistribution, and separation centers frequently report relatively large numbers of admissions arising from routine physical examinations of large bodies of troops.


EXPLANATORY MATTER

In reading the detail tables, it should be born in mind that admission rates based on small numbers of cases are not reliable. For this reason the symbol (?) is placed after admission rates computed on the basis of 5 or fewer cases.

Where the current week's data for a particular station have not been received, the latest available figures are substituted therefor and the symbol (#) is placed after the name of the station.


MORBIDITY FROM ALL CAUSES INJURY ONLY

CONTINENTAL UNITED STATES



MORBIDITY FROM DISEASE ONLY COLDS, INFLUENZA, ETC.

CONTINENTAL UNITED STATES



RESTRICTED

COMMENT ON CURRENT TRENDS

CURRENT MORBIDITY IN THE CONTINENTAL UNITED STATESAll Causes: Disease and Injury:

Morbidity from all causes decreased slightly (by 4 percent) during the week ending 6 July, being reported at 529 per year per thousand strength. This is the sixth consecutive week that a decline has occurred and the current week's rate is the lowest so far this year. The current week's admission rate is about the same as that for the corresponding week of 1944. Morbidity from disease also decreased, being reported at 478 per thousand.

The admission rate from injury decreased to 51 per thousand. It should be borne in mind that the injury rates reported since October 1944 are not strictly comparable with those prior to that time because of the directive (issued 29 September 1944) which provided for the reporting of injuries existing prior to entry into active service and of readmissions for injury under "disease" rather than under "injury", as was formerly done.

Respiratory Causes:

Morbidity from colds, influenza, etc. was reported at 79 per thousand, or about 15 percent lower than the previous week, and the lowest rate recorded since September 1944. The current week's rate is about 20 percent higher than that for the corresponding week of 1944.

The admission rate for pneumonia remained at 9 per thousand which is 30 percent above the rate reported for the corresponding week of 1944.

Common Communicable Diseases:

Morbidity from venereal disease, excluding cases contracted prior to entry on active service decreased to 42 per thousand. This reflects in part the normal cyclical trend during the month since the lowest rate usually occurs during the first week, followed by a steady rise thereafter until the end of the month. The current week's rate is higher than the highest rate reported during any week of 1944.

The admission rate from diarrhea and dysentery decreased to 6 per thousand, continuing the low level experienced so far this year.

The number of new cases of infectious hepatitis decreased to 166 which is nonetheless relatively high.

VARIATION IN MORBIDITY BY SERVICE COMMANDAll Causes: Disease and Injury:

The admission rate from disease decreased in all Service Commands except the Third and MDW. Decreases of 10 percent or more were registered in the First, Sixth, and Seventh Service Commands.


The Third Service Command reported the highest morbidity from all causes (582 per thousand) and from disease (538 per thousand). The lowest admission rates from all causes (438 per thousand) and from disease (397 per thousand) was reported by the Seventh Service Command.

The Fourth Service Command reported the highest morbidity from injury (65 per thousand). All other Commands except the Eighth and Ninth reported rates of under 50 per thousand.

MORBIDITY FROM


—— ALL CAUSES
---- DISEASE ONLY
..... COLDS, INFLUENZA, ETC.

VARIATIONS BY SERVICE COMMAND
CONTINENTAL UNITED STATES




NON-EFFECTIVE RATE

CONTINENTAL UNITED STATES



PATIENTS REMAINING UNDER TREATMENT

CONTINENTAL UNITED STATES



COMMENT ON CURRENT TRENDS (CONT'D)

Respiratory Causes:

Morbidity from colds, influenza, etc. fluctuated widely as between Service Commands. Decreases of over 20 percent were registered in the First, Seventh, and Ninth Service Commands, while increases were reported by the Third Service Command and MDW. The highest morbidity from these causes was reported by the Sixth Service Command (101 per thousand), while the lowest was registered by the First and Second Service Commands (about 55 per thousand). All Service Commands except the Sixth and Eighth had rates under 85 per thousand.

Common Communicable Diseases:

Morbidity from venereal diseases, excluding EPTS cases decreased in most Service Commands. Decreases of more than 15 percent occurred in the First, Second, and Seventh Service Commands. The highest morbidity from these causes was in the Third and Fifth Service Commands (55 per thousand).

Exceptionally low morbidity from diarrhea and dysentery was reported in every Service Command, with none reporting a rate in excess of 10 per thousand.

NON-EFFECTIVE RATE:

The non-effective rate for personnel stationed in the continental United States is estimated at 27.8 per thousand strength for the week ending 6 July as compared with approximately 29 per thousand for the corresponding week of 1944. The mean number of non-effectives in this country, including evacuees from overseas, decreased to 100.3 per thousand.

PATIENTS REMAINING UNDER TREATMENT: 6 JULY 1945:

The number of neuropsychiatric cases remaining was 36,504 or about 700 less than at the end of the previous week. Non-battle injury patients remaining numbered 52,400. The number of battle casualty patients remaining increased by about 1,800 to number 113,097.

CERTIFICATES OF DISABILITY FOR DISCHARGE:


During the week ending 6 July there were 8,060 enlisted personnel discharged by CDD or about 600 more than the previous week. About 40 percent of these discharges were reported by General Hospitals and 40 percent by Convalescent Hospitals. Included among the 8,060 CDD's were 2,712 neuropsychiatric cases.

ASSEMBLY STATIONS AND REDISTRIBUTION STATIONS:

As shown on page 12 the all causes admission rate at stations which are functioning as Assembly Stations was 780 per thousand and that at Redistribution Stations was 604 per thousand as contrasted with 518 per thousand at all other stations. Likewise, the admission rate for neuropsychiatric disorders was 32 per thousand at Assembly Stations and 92 per thousand at Redistribution Stations. It should be noted that at most of the Assembly Stations and a few of the Redistribution Stations other activities are carried out.

CERTIFICATES OF DISABILITY FOR DISCHARGE

CONTINENTAL UNITED STATES



RESTRICTED

WEEKLY HEALTH REPORT

SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

CONFIDENTIAL

SERVICE COMMAND	MEAN STRENGTH	A D M I S S I O N S																MEAN NUMBER OF NONEFFECTIVES PER 1000 STRENGTH
		ANNUAL RATE PER 1000 STRENGTH								ANNUAL CASE RATE PER 1000 STRENGTH								
		ALL CAUSES	DISEASE	INJURY		COLDS, INFLU- ENZA, ETC. *	PNEUMONIA (INCL. ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCL. EPTI)									
C U R R E N T W E E K C O M P A R E D W I T H P R E V I O U S W E E K																		
	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week
TOTAL UNITED STATES	3034571	3024299	529	550	473	497	51	53	79	92	9	9	6	7	42	45	100	101
FIRST SERVICE COMMAND	89829	89857	510	564	469	523	41	41	51	64	6	5	7	8	36	49	187	189
SECOND SERVICE COMMAND	219802	209804	437	505	451	469	36	36	53	59	6	4	4	6	31	38	119	125
THIRD SERVICE COMMAND	188786	194316	582	545	530	502	44	43	63	62	6	5	6	3	55	52	141	134
MIL. DIST. OF WASHINGTON	52323	53574	499	463	454	434	45	34	79	67	37	10	9	17	19	20	80	78
FOURTH SERVICE COMMAND	722659	713459	543	550	473	487	65	63	72	79	11	11	9	11	48	48	87	88
FIFTH SERVICE COMMAND	155458	154472	531	535	494	440	47	45	70	82	17	9	5	6	54	55	137	138
SIXTH SERVICE COMMAND	145068	150575	430	536	451	504	29	32	101	102	13	7	5	2	44	49	136	131
SEVENTH SERVICE COMMAND	301511	289415	433	513	397	457	41	56	80	121	6	6	4	3	40	47	97	101
EIGHTH SERVICE COMMAND	649398	645312	552	531	499	516	53	65	94	111	12	15	6	8	37	38	73	73
NINTH SERVICE COMMAND	107737	513515	554	371	492	523	56	48	83	101	4	5	7	6	42	46	83	82
C U R R E N T Y E A R T O D A T E C O M P A R E D W I T H C O R R E S P O N D I N G P E R I O D P R E V I O U S Y E A R																		
	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year
TOTAL UNITED STATES	2396925	4331337	315	332	564	614	51	68	142	193	12	15	7	9	43	30	87	38
FIRST SERVICE COMMAND	81570	120477	541	541	598	580	43	61	132	196	6	13	7	8	49	27	148	33
SECOND SERVICE COMMAND	183855	224499	651	790	609	730	42	60	134	252	9	14	6	10	47	41	116	45
THIRD SERVICE COMMAND	187946	290317	641	743	602	678	39	65	139	234	12	18	5	7	59	30	105	40
MIL. DIST. OF WASHINGTON	51610	62227	597	735	557	695	40	40	150	200	7	23	6	5	21	14	73	69
FOURTH SERVICE COMMAND	705039	1177562	604	658	544	584	60	74	120	161	14	14	8	11	47	30	75	33
FIFTH SERVICE COMMAND	141282	202671	616	705	571	640	45	65	165	205	15	16	7	12	50	41	177	51
SIXTH SERVICE COMMAND	111792	176639	625	772	591	715	34	57	162	263	16	25	4	4	48	34	136	40
SEVENTH SERVICE COMMAND	269237	407407	571	739	531	724	40	65	141	288	9	27	5	6	43	28	88	41
EIGHTH SERVICE COMMAND	683741	968970	621	624	564	553	57	71	163	159	17	11	7	8	37	29	61	34
NINTH SERVICE COMMAND	480853	750913	617	658	566	586	51	72	139	132	8	10	6	7	38	25	76	39

CONFIDENTIAL

*Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Pleurisy.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

CONFIDENTIAL

VOLUME V REPORT NO. 27 SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS
WEEK ENDING 6 July 1945

SERVICE COMMAND	MEAN STRENGTH	A D M I S S I O N S NUMBER OF CASES												NUMBER OF DEATHS				NUMBER OF DISPOSITIONS BY CDD
		MEASLES	MUMPS	SCARF	MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	STREPTOCOCCAL SORE THROAT		ALL CAUSES	DISEASE	INJURY	BATTLE CASUALTY	
									IN USA	OUT OF USA								
C U R R E N T W E E K																		
TOTAL UNITED STATES	3024511	54	242	15	24	22	328	166	9	981	78	96		166	45	113	8	8060
FIRST SERVICE COMMAND	89829		6	1		5	7	16	1	61	5			10	4	6		638
SECOND SERVICE COMMAND	219802		4		1	1	21	31		95	5	5		4	3	1		739
THIRD SERVICE COMMAND	188786		7	1	3	2	14	13		55	3	2		7	3	2	2	658
MIL. DIST. OF WASHINGTON	52323		1			1	3	2		10				7	5	1	1	33
FOURTH SERVICE COMMAND	722659	8	51	1	4	2	133	29	1	189	16	15		30	11	17	2	1542
FIFTH SERVICE COMMAND	155458		16	1	3	1	36	14		63	9	5		11	2	9		944
SIXTH SERVICE COMMAND	115068	3	15	2	1		18	14		80	2	10		11	1	7	3	487
SEVENTH SERVICE COMMAND	301511	8	29	3	2	3	24	3	2	92	9	15		13	5	8		882
EIGHTH SERVICE COMMAND	649398	10	58	4	9	11	109	28	3	131	17	20		39	6	33		1114
NINTH SERVICE COMMAND	509737	24	55	2	3	6	23	16	2	155	12	24		34	5	29		273
P R E V I O U S W E E K																		
TOTAL UNITED STATES	3024299	64	242	20	29	38	382	189	4	1106	87	104		147	60	79	8	7486
FIRST SERVICE COMMAND	39357		1				8	12	1	57	5	2		5	4	1		543
SECOND SERVICE COMMAND	209304	1	10	3	1	3	10	53	1	113	17	4		8	4	2	2	676
THIRD SERVICE COMMAND	194316		15	1	5	3	11	18		63	3			11	6	5		734
MIL. DIST. OF WASHINGTON	53574	1	5				7	3		18	1			4	3	1		71
FOURTH SERVICE COMMAND	718459	12	51	2	7	3	131	27		207	12	36		28	12	14	2	1168
FIFTH SERVICE COMMAND	154472	2	8		3	5	18	8		69	9	3		7	4	3		925
SIXTH SERVICE COMMAND	150575	7	11		1	3	11	22	1	109	13	3		5	3	1	1	592
SEVENTH SERVICE COMMAND	289415	4	38	2	2	8	18	7		99	3	4		33	8	23	2	702
EIGHTH SERVICE COMMAND	645312	25	53	5	6	9	134	26		210	16	25		23	8	14	1	1104
NINTH SERVICE COMMAND	518515	12	50	7	4	4	34	13	1	161	8	27		23	8	15		971

FORM SG-396C REVISED 2 DEC. 1944

* SEE NATURE OF THE DATA, PAGE 2

CONFIDENTIAL

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

VOLUME V REPORT NO. 27
WEEK ENDING 6 July 194 5

WEEKLY HEALTH REPORT INDIVIDUAL STATIONS

CONFIDENTIAL

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES									
		ALL CAUSES	DIS	INJURY	COLDS INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	* VENEREAL (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	* GONORRHOIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE	INJURY	
TOTAL UNITED STATES	3034571	529	478	51	79	9	6	42	54	242	15	26	32	368	166	166	45	113	3060
Redistribution Stations (Includes 13 Stations)	111819	604	568	36	28		5	46		4			1		3	1	1		68
Assembly Stations (Includes 6 Stations)	98342	780	729	51	131	5	1?	47	22	30		1		5	2				88
ALL OTHER STATIONS	2624710	518	466	52	79	9	7	42	32	208	15	25	31	363	161	165	44	113	7904
FIRST SERVICE COMMAND	89829	510	469	41	51	6	7	36		6	1		5	7	16	10	4	6	638
Boston PoE, Mass.	19290	316	286	30	30	5?		24			1		1	1	2				2
Devens, Ft., Mass.	11964	917	874	43	78		13?	17?		1						1		1	
Edwards, Cp., Mass. (Excl. Gen. & Conv. Hosp.)	6358	655	622	33?	33?			57		1			1						
Westover Field, Mass. (RH)	6600	339	284	55	24?	16?		24?						1		2		2	6
TOTAL-ALL STATIONS UNDER 5000 STR. & MISC. UNITS	45617	490	446	44	59	8	10	44		4			3	5	14	7	4	3	630
SECOND SERVICE COMMAND	219802	487	451	36	58	6	4	31		4		1	1	21	31	4	3	1	739
Atlantic City, N. J. AAF Redist. Sta.	10966	574	536	38	9?			24?											
Dix, Ft., N. J.	61510	374	366	8	43		3?	24							4				6
Kilmer, Cp., N. J.	13622	493	466	27	65	57		61		1				14		1	1		11
Lake Placid, N. Y. AG & SF Redist. Sta.	8695	191	185	6?	30?			24?											
Monmouth, Ft., N. J. (RH)	8434	630	574	56	25?			6?											43
New York PoE, N. Y.	12514	366	341	25	67		4?	37											
Shanks, Cp., N. Y.	6863	721	660	61	106			23?							2				
TOTAL-ALL STATIONS UNDER 5000 STR. & MISC. UNITS	97198	562	506	56	72	6	5	35		3		1	1	7	25	3	2	1	679

FORM 56-945 11 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

CONFIDENTIAL

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

VOLUME V REPORT NO. 27
WEEK ENDING 6 July 194 5

WEEKLY HEALTH REPORT INDIVIDUAL STATIONS

CONFIDENTIAL

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES						ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS				
THIRD SERVICE COMMAND	188786	582	538	44	68	6	6	55		7	1	3	2	14	13	7	3	2	658
Aberdeen Prov. Grd., Md.	18938	362	291	71	41			41		1	1								1
Geo. G. Meade, Ft., Md. (RH)	27145	540	515	25	82	11	11	94		1		1		5					15
Hampton Roads PoE, Va.	6687	405	389	16?				47											
Indiantown Gap, Pa.	8144	524	492	32?	45	6?		96				1		1	1				19
Langley Field, Va. (RH)	8829	389	371	18?	29?			18?											5
Lee, Cp., Va. (RH)	34922	907	855	52	119	9		49		4			1			3	1	2	46
New Cumberland ASF Depot, Pa.	5174	1407	1397	10?	10?		10?												
Patrick Henry, Cp., Va.	8607	646	610	36	97	24?		48					1	4	6				16
TOTAL-ALL STATIONS UNDER 5000 STR. & MISC. UNITS	70340	475	424	51	58	3?	11	52		1		1		4	6	4	2		556
MIL DIST OF WASH.	52323	499	454	45	79	3?	9	19	1	1			1	3	2	7	5	1	83
Belvoir, Ft., Va. (RH)	13807	406	350	56	75	8?	4?	19?	1	1			1	2	1	1		1	5
Myer, Ft., Va.	5786	899	854	45?	171	9?	18?	27?						1		1	1		
Washington Gen. Disp., D. C.	9149	370	347	23?	97			6?											
TOTAL-ALL STATIONS UNDER 5000 STR. & MISC. UNITS	23581	505	459	46	51		13	22							1	5	4		78

FORM SG-945 11 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

CONFIDENTIAL

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

VOLUME V REPORT NO. 27
WEEK ENDING 6 July 1945

WEEKLY HEALTH REPORT INDIVIDUAL STATIONS

CONFIDENTIAL

SERVICE COMMAND AND STATION	MEAN STRENGTH **	A D M I S S I O N S															NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH						NUMBER OF CASES									
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE	INJURY		
FOURTH SERVICE COMMAND	722659	543	470	65	72	11	9	48	8	51	1	4	2	133	29	30	11	17	1542	
Asheville, N. C. AG & SF Redist. Sta.	9474	126	126		15?			38												
Benning, Ft., Ga. (RH)	40968	786	691	95	207	36		84	2	14				40	3				39	
Blanding, Cp., Fla. (RH)	51014	593	472	123	76	11	15	12						11					15	
Boca Raton Field, Fla.	13605	544	313	31	38	4?	4?	8?	1					1	2				12	
Bragg, Ft., N. C. (RH)	29681	673	644	29	100	15		47	3	3				10		1		1	38	
Buckingham AAF, Fla.	10983	533	209	44?	33			38												
Butner, Cp., N. C. (Excl. Gen. & Conv. Hosp.)	14342	627	613	14?	18?		4?	8?							1					
Chatham Field, Ga.	5789	243	216	27?																
Charleston AAF, S. C.	8050	384	290	34	43?			60												
Croft, Cp., S. C.	16884	621	713	166	92	15?	3?	55				2	1	4	3	1	1		17	
Drew Field, Fla. (RH)	10720	354	349	5?	23	5?	19?	73						1					3	
Eglin Field, Fla. (RH)	8414	266	216	56	35?		12?	6?												
Gordon, Cp., Ga.	33104	594	569	125	86	12	7?	6?		2				6	1	1		1	38	
Gordon Johnston, Cp., Fla.	6901	299	244	35	110			8?											9	
Greensboro AAFORD, N. C.	7152	1251	1229	22?	73		29?	145		1						1	1		5	
Gulfport AAF, Miss.	6369	548	474	74	65		49	57							1				3	
Hunter Field, Ga. (RH)	6040	585	482	103	121		17?	34?		1						2		2	5	
Jackson, Ft., S. C. (RH)	16191	372	321	51	16?		6?	48	1	1						1		1	10	
Keesler Field, Miss. (RH)	30049	540	495	45	88	21	3?	7?		2		1		11	1	1	1		12	
MacDill Field, Fla.	10315	862	827	35	207	5?		66		1				1		1		1	3	

FORM SG-945 11 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

CONFIDENTIAL

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

[illegible]

FORM SG-945 11 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

CONFIDENTIAL

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT INDIVIDUAL STATIONS

CONFIDENTIAL

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES									
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	* VENEREAL (EXCLUDING EPS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE	INJURY	
FIFTH SERVICE COMMAND	155458	531	484	47	70	17	5	54		16	1	3	1	36	14	11	2	9	944
Atterbury, Cp., Ind. #	24617	1016	1001	15	57	6?		55		2				3	1				
Knox, Ft., Ky. (RH)	45434	448	395	53	129	43	10	52		8		3		23	1				11
Wright Field, Ohio	16765	366	347	19	56	6?	3?	59					1	2					
TOTAL-ALL STATIONS UNDER 5000 STR. & MISC. UNITS	68642	453	391	62	39	6	4?	54		6	1			8	12	11	2	9	933
SIXTH SERVICE COMMAND	145066	480	451	29	101	13	5	44	3	15	2	1		18	14	11	1	7	487
Chanute Field, Ill. (RH)	18145	390	358	32	89	6?		54	1					2	1	2		2	6
Ellis, Cp., Ill. #	8794	1189	1171	18?	580	30?	12?	47	2	8				2					1
Grant, Cp., Ill.	14189	205	194	11?	11?			18?											
Romulus AAF, Mich.	5249	307	307		59														1
Scott Field, Ill. (RH)	17044	519	476	43	125	9?	24	27						3		2		2	13
Sheridan, Ft., Ill. (RH)	20981	640	630	10?	50	25		64		2					4				16
Truax Field, Wis. (RH)	12191	547	474	73	60	13?		26		1	1			1		2		2	2
TOTAL-ALL STATIONS UNDER 5000 STR. & MISC. UNITS	48475	385	354	31	74	13	3?	55		4	1	1		10	9	5	1	1	448

FORM 58-945 11 DEC 1944

* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

CONFIDENTIAL

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

CONFIDENTIAL

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S													NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD	
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES									
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE		INJURY
SEVENTH SERVICE COMMAND	30811	438	397	41	80	6	4	40	8	29	3	2	3	24	3	13	5	8	882
Buckley Field, Colo. (RH)	7521	401	373	28?	69		14?	7?	1	3						2		2	24
Crowder, Cp., Mo. (RH)	31049	476	444	32	106	12	8?	49		2				4		1		1	14
Des Moines, Ft., Iowa	5113	600	580	20?	71	10?		20?		1									2
F. E. Warren, Ft., Wyo. (RH)	12608	660	615	45	161	4?		25		1		1		1					34
Jefferson Bks., Mo.	13687	399	369	30	49	4?	4?	46							1	2	2		2
Leavenworth, Ft., Kans.	10146	385	364	21?	41	15?	15?	46			1			3					9
Leonard Wood, Ft., Mo. (RH)	18615	964	900	64	187	8?		70	3	10				3					21
Lincoln AAF, Nebr. (RH)	17367	297	291	6?	36	6?		57		1			1	2					5
Lowry Field, Colo.	16994	288	239	49	73	3?	9?	31	2				1						9
McCook AAF, Nebr.	5348	224	214	10?	58	10?		19?											2
Riley, Ft., Kans. (RH)	27823	413	342	71	73	7?		24		3				3					24
Smoky Hill AAF, Kans. (RH)	7077	368	346	22?	29?	7?		59						1					4
Sioux Falls AAF, S. Dak.	5400	944	925	19?	58	19?		58						2					4
Snelling, Ft., Minn.	10664	518	498	20?	268			34		1						1		1	1
Walker AAF, Kans.	5129	233	203	30?	51?		20?	20?											6
TOTAL-ALL STATIONS UNDER 5000 STR. & MISC. UNITS	106970	356	311	47	50	3	2?	39	2	7	2	1	1	4	1	7	3	4	721

VOLUME V REPORT NO. 27
WEEK ENDING 6 July 194 5

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

CONFIDENTIAL

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES						ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DIS.	INJURY	*COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	*VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	*COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS				
EIGHTH SERVICE COMMAND	649398	552	499	53	94	12	6	37	10	58	4	9	11	109	28	39	6	33	1114
Alamogordo AAB, N. Mexico	7285	257	250	7?	79			14?											3
Amarillo AAF, Tex. (RH)	17771	305	255	50	41	6?	9?	20		3				2					6
Barksdale Field, La. (RH)	7602	555	445	110	68			89								7		7	1
Biggs Field, Texas	5495	464	436	28?	57	9?	28?	66						1					7
Bliss, Ft., Texas	12772	623	599	24	167		20?	29	1	1									
Bowie, Cp., Texas (RH)	10527	440	351	89	59			20?							1				3
Chaffee, Cp., Ark.	9339	941	908	33	167	28?		17?		1				3					
Claiborne, Cp., La.	11937	1634	1560	74	200	9?		44		1				1					30
Clovis AAF, N. Mexico	6441	242	226	16?	97		8?												2
Ellington Field, Texas	5936	535	447	88	88	9?		35?					1						
Fannin, Cp., Texas	20447	700	649	51	249	94		13?		2				37	4	1		1	22
Fort Worth AAF, Texas	5864	736	665	71	80			53			1								
Gruber, Cp., Okla.	5940	526	438	88	70		53	26?		3						1		1	3
Harlingen AAF, Texas	9322	329	268	61	22?	11?	6?	45						2	1	1		1	1
Hondo AAF, Texas	6199	520	470	50				34?											
Hood, Cp., Texas	41628	573	501	72	127	6?	2?	17		5		1	4	4					19
Howze, Cp., Texas	12318	515	456	59	89	13?		13?						1					12
(RH) Jos. T. Robinson, Cp., Ark.	33097	995	894	101	239	31		13	2	12	1	1		16	1				54
Kelly Field, Texas	12412	335	310	25	13?		13?	25							4	1		1	10
Kirtland AAF, N. Mexico	5190	391	351	40?	60			40?											

FORM SG-945 11 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)

** SEE NATURE OF THE DATA, PAGE 2.

CONFIDENTIAL

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

VOLUME 7 REPORT NO. 27
WEEK ENDING 6 July 194 5

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

CONFIDENTIAL

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD	
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH				NUMBER OF CASES								ALL CAUSES	DISEASE		INJURY
		ALL CAUSES	DISEASE	INJURY	GOLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIAARRHEA AND DYSENTERY	* VENEREAL (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'GORGIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS					
EIGHTH SERVICE COMMAND (Cont'd)																				
Laredo AAF, Texas	9278	398	381	17?	57	11?		22?						2					6	
Livingston, Cp., La.	24267	742	639	103	122	4?	2?	64	1	3									17	
Maxey, Cp., Texas (RH)	22927	486	431	55	116	9?		9.		3			2	4	1				28	
New Orleans PoE, La.	13779	699	642	57	128	4?	4?	109				1		1		1		1	3	
Pyote AAF, Texas (RH)	6029	396	336	60	43?			26?		1									15	
Randolph Field, Texas	10044	389	363	26?	104	5?		41	1					1					3	
Roswell AAF, N. Mexico	6972	209	194	15?	22?		15?	15?											3	
Sam Houston, Ft., Texas	28484	608	564	44	11			29												
San Marcos AAF, Texas	5538	281	272	9?	19?		38?	38?		3									4	
Selman Field, La.	5801	350	332	18?	27?		36?	27?		1			1						2	
Sheppard Field, Texas (RH)	36652	676	660	16	102	18	13	27	2	6		1			2				60	
Sill, Ft., Okla.	23811	373	325	48	85	17		15	1	2		1		8		3		3	1	
Swift, Cp., Texas	5016	373	363	10?	62			41?											15	
Walters, Cp., Texas	19637	569	458	111	151	45	13?	11?		5		1		13		1		1	9	
TOTAL-ALL STATIONS UNDER 5000 STR. & MISC. UNITS	183741	457	413	44	61	6	7	58	2	6	2	3	3	13	14	23	6	17	775	
NINTH SERVICE COMMAND	509737	554	498	56	83	4	7	42	24	55	2	3	6	23	16	34	5	29	973	
Beale, Cp., Calif.	23811	664	651	13	46	7?	13	83		1									16	
(RH)																				
Davis-Monthan Field, Ariz.	7509	395	367	28?	42	7?	35?	55						1	1				8	
Geiger Field, Wash. #	6810	871	749	122	252			31?												
Gowen Field, Idaho	6213	419	335	84	84	8?		17?						1					2	

FORM SG-945 11 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

CONFIDENTIAL

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

VOLUME V REPORT NO. 27
WEEK ENDING 6 July 1945

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

CONFIDENTIAL

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S													NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD		
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES					ALL CAUSES	DISEASE	INJURY			
		ALL CAUSES	DIS	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA					INFECTIOUS HEPATITIS	
NINTH SERVICE COMMAND (CONTD)																				
Hamilton Field, Calif. (RH)	5221	487	449	38	51	13?		57			1		1		2	1				10
Kearns AAFORD, Utah (RH)	6958	515	463	52	82			7?	82											2
Las Vegas AAF, Nev.	11270	355	263	92	69	5?	14?	18?									11		11	1
Lawton, Ft., Wash.	10024	524	477	47	42			99			2									6
Lewis, Ft., Wash.	44103	645	607	38	129			1?	37	19	19									
Los Angeles PoE, Calif.	5555	767	655	112	197			19?	9?	1	1									2
Luke Field, Ariz.	5748	371	317	54	54			27?	63											
McDowell Field, Calif.	5504	510	491	19?	76			19?	9?											
March Field, Calif.	6580	403	356	47	87			24?	8?		1						1		1	4
Mather Field, Calif.	5371	320	310	10?	48?			19?	48?											
Mountain Home AAF, Idaho	5298	432	422	10?	167				20?											
Muroc AAF, Calif.	5696	520	493	27?	37?	9?		18?							1	2				7
Ord, Ft., Calif. (RH)	38613	510	451	59	112	4?	5?	89		1	5	1		1	1					28
Pinedale, Cp., Calif.	9611	541	498	43	38			11												
Roberts, Cp., Calif.	24818	744	635	109	189	23	13	6?			3		2		11		2		2	38
Santa Ana AAB, Calif. (RH) #	8510	1168	1064	104	43			18?	92		2			1		1				49
Stoneman, Cp., Calif.	10285	516	470	46	30	10?	10?	30							1					13
Tonopah AAB, Nev.	6209	477	410	67	59			8?	34?											
Vancouver Bks., Wash. #	5462	629	600	29?	133			143		1										
Victorville AAF, Calif.	7963	320	300	20?	20?			7?	26?											
Williams Field, Ariz.	5688	385	339	46?	146	18?	18?	9?												
Yuma AAF, Ariz.	5247	446	396	50?	10?			20?	20?											
TOTAL-ALL STATIONS UNDER 5000 STR. & MISC. UNITS	222660	533	475	58	67	2	5	34		2	20	1		4	5	11	18	5	13	785

FORM SG-945 11 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

CONFIDENTIAL

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

LIST OF STATIONS WITH HIGHEST MORBIDITY RATES

RESTRICTED

VOLUME 7 REPORT NO. 27
WEEK ENDING 6 July 1945

STATIONS WITH STRENGTH OF 5000 OR OVER

STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK
ALL CAUSES ANNUAL ADMISSION RATE PER 1000			DISEASE ANNUAL ADMISSION RATE PER 1000			INJURY ANNUAL ADMISSION RATE PER 1000		
Claiborne, Cp., La.	1634	1521	Claiborne, Cp., La.	1560	1433	Croft, Cp., S. C.	166	143
New Cumberland, Pa. ASF Depot (1)	1407	1720	New Cumberland, Pa. ASF Depot (1)	1397	1691	Hucker, Cp., Ala.	142	230
Greensboro AAFORD, N. C.	1251	951	Greensboro AAFORD, N. C.	1229	936	Gordon, Cp., Ga.	125	112
Ellis, Cp., Ill.	1189	1003	Ellis, Cp., Ill.	1171	1002	Flaming, Cp., Fla.	123	132
Santa Ana AAB, Calif. (3)	1153	1074	Santa Ana AAB, Calif. (3)	1064	1061	Wheeler, Cp., Ga.	113	119
Jos. T. Robinson, Cp., Ark.	995	918	Sioux Falls AAB, S. Dak.	925	516	Los Angeles Pot, Calif.	112	57
Leonard Wood, Ft., Mo.	964	1099	Chaffee, Cp., Ark. (1) (2)	903	1145	Walters, Cp., Tex.	111	173
COLDS, INFLUENZA, ETC.* ANNUAL ADMISSION RATE PER 1000			PNEUMONIA (INCLUDING ATYPICAL) ANNUAL ADMISSION RATE PER 1000			DIARRHEA AND DYSENTERY ANNUAL ADMISSION RATE PER 1000		
Ellis, Cp., Ill.	530	470	Fannin, Cp., Tex.	94	110	Gruber, Cp., Okla.	52	21?
Swelling, Ft., Minn.	263	533	Kilmer, Cp., N. J.	57	13?	Gulfoort AAF, Miss.	49	24?
Fannin, Cp., Tex.	249	396	Benning, Ft., Ga.	56	56	Scott Field, Ill.	24	6?
Jos. T. Robinson, Cp., Ark.	239	193	Walters, Cp., Tex.	45	10?	Hucker, Cp., Ala.	20	13
Benning, Ft. Ga.	207	251	Knox, Ft., Ky.	43	22	Flaming, Cp., Fla.	15	15
MacMill Field, Fla.	207	119	Jos. T. Robinson, Cp., Ark.	31	32	McClellan, Ft., Ala.	14	5?
Claiborne, Cp., La.	200	176	McClellan, Ft., Ala.	30	33	Sheppard Field, Tex.	13	5?
VENEREAL (EXCLUDING EPTI) ANNUAL ADMISSION RATE PER 1000			DISEASE EXCLUDING VENEREAL EPTS ANNUAL ADMISSION RATE PER 1000			<p>(1) Reception Center or Station: see Nature of the Data. (2) Separation Center: see Nature of the Data. (3) Redistribution Station: see Nature of the Data.</p> <p>NOTES: When the current week's data for a station have not been received and the previous week's data are used instead, the rates for this station are not reported in this table if they were so shown in last week's report.</p>		
Greensboro AAFORD, N. C.	145	105	Claiborne, Cp., La.	1560	1433			
Norman, Ft., Mo.	116	61	Greensboro AAFORD, N. C.	1229	936			
New Orleans Pot, La.	109	161	Ellis, Cp., Ill.	1130	972			
Lawton, Ft., Wash.	99	111	Santa Ana AAB, Calif. (3)	1064	1061			
Indianapolis Cap, Pa.	96	60	Sioux Falls AAB, S. Dak.	925	516			
Geo. G. Leede, Md. Md.	94	94	Leonard Wood, Ft., Mo.	391	1051			
Santa Ana AAB, Calif.	92	85	Jos. T. Robinson, Cp., Ark.	891	796			

FORM SG-396E, 12 NOVEMBER 1943

RESTRICTED

*Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, And Pleurisy.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

RESTRICTED

VOLUME V REPORT NO. 27
WEEK ENDING 6 July 19 45

LIST OF CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST

<p><u>LYMPHO CYC</u> <u>CHORIOEINJITIS (4)</u></p> <p>2-Leonard Wood, Ft., Mo. 1-Rowe, Cp., Tex. Delayed Report week ending 29 June 1945 1-Waltham, Mass. R.H.</p>	<p><u>DIPHTHERIA (6)</u></p> <p>1-Valley Forge G.H., Pa. 3-Moore G.H., N.C. 1-Northington G.H., Ala. 1-Baker, Ft., Calif.</p>	<p><u>PLAGUE DYSENTERY (35)</u></p> <p>2-Devens, Ft., Mass. 1-Edwards, Cp., Mass. (Excl. Gen. & Conv. Hosp.) 2-Atlantic City, N.J. AAF Redist. Sta. 1-Bolling Field, D.C. 1-Walter Reed G.H., D.C. 1-McPherson, Ft., Ga. 1-Newton D. Baker G.H., N. Va. 1-Mayo G.H., Ill. 1-Percy Jones G.H., Ill. 1-Sheridan, Ft., Ill. 1-Fitzsimons G.H., Colo. 1-Sioux City AAB, Iowa 1-Bowie, Cp., Tex. 1-Harlingen AAF, Tex. 1-Wolters, Cp., Tex. 1-Kearns AAFORD, Utah 2-Lewis, Ft., Wash. 1-Tonopah AAF, Nev.</p>	<p><u>ANKYLOSTOMIASIS (5)</u></p> <p>2-Walter Reed G.H., D.C. 2-Brooke G.H., Tex. 1-Wolters, Cp., Tex.</p>	<p><u>COCCIDIOIDOMYCOSIS (7)</u></p> <p>1-Pyote AAF, Tex. 1-Florence P.W. Cp., Ariz. 1-Hammer Field, Calif. 1-Minter Field, Calif. 3-Roberts, Cp., Calif.</p>	<p>LISTING LIMITED TO STATIONS REPORTING 10 OR MORE CASES</p> <p><u>STREPTOCOCCAL SORE THROAT</u></p> <p>10-Pemning, Ft., Ga.</p>
					<p><u>BACTERIAL FOOD POISONING</u></p> <p>29-Tilton G.H., N.J. 19-Gordon, Cp., Ga. 11-Keesler Field, Miss. 14-Seymour Johnson Field, Fa.</p>
<p><u>POLYOMYELITIS (2)</u></p> <p>1-McClellan, Ft., Ala. 1-San Antonio, Tex. Avn. Cdt. Ctr.</p>	<p><u>TYPHUS FEVER (1)</u></p> <p>1-Blanding, Cp., Fla.</p>	<p><u>UNDULANT FEVER (3)</u></p> <p>2-Westover Field, Mass. 1-Keesler Field, Miss. 1-Bowie, Cp., Tex.</p>	<p><u>KERATOCONJUNCTIVITIS (12)</u></p> <p>1-Delvoir, Ft., Va. 3-Rucker, Cp., Ala. 3-Scott Field, Ill. 1-Barksdale Field, La. 1-Howze, Cp., Tex. 3-Jos. T. Robinson, Cp., Ark.</p>	<p><u>FILARIASIS (3)</u></p> <p>1-Percy Jones G.H., Ill. 1-Mason, Ft., Calif. 1-Minter Field, Calif.</p>	<p>M'COCCIC MENINGITIS AT GENERAL HOSPITALS AND STATIONS UNDER 5000 STRENGTH</p> <p>1-Hamilton, Ft., N.Y. 1-Deshon G.H., Pa. 1-Selfridge Field, Mich. 1-Scottsbluff P.W., Nebr. 1-Brooke G.H., Tex. 2-Will Rogers Field, Okla.</p>
<p>STATIONS WHERE SULFONAMIDE PROPHYLAXIS OF RESPIRATORY DISEASE IS BEING EMPLOYED IN SOME OR ALL OF UNITS</p> <p>NONE</p>	<p><u>RELAPSING FEVER (1)</u></p> <p>1-Las Vegas AAF, Nev.</p>	<p><u>ROCKY MT. SPOTTED FEVER (1)</u></p> <p>1-Scott Field, Ill.</p>			

FORM 56-902 - 8 July 1944

RESTRICTED

WOMEN'S ARMY CORPS

During the five week period ending 29 June the annual admission rate from all causes among WAC personnel at 50 selected stations decreased slightly (by about 2 percent) to 706 per year per thousand strength which is the lowest rate recorded since the special WAC reports have been available (April 1944). Nevertheless the June admission rate from all causes for the WAC was 25 percent above that for the total Army in the continental United States, reflecting the well-known fact that morbidity among women is considerably higher than among men.

During June special WAC reports were received from 50 selected stations which included most of the stations in the United States having a WAC strength of over 300. The WAC strength of the 50 reporting stations was about (40 percent of the total WAC strength in the continental United States).

Morbidity from all causes during June varied appreciably by station, reflecting in large part the relatively small numbers of personnel at most of the reporting installations. The all causes admission rates in general ranged from 500 to 900 per thousand. Fort Devens was the only station which reported a rate in excess of 1500 per thousand (2569 per thousand).

The June admission rate from injuries for the WAC increased slightly to 47 per thousand which is 10 percent lower than the rate for the total Army in the United States (about 53 per thousand in June).

The two largest stations, Fort Oglethorpe and Fort Des Moines, accounted for 32 percent of the strength of the 50 selected stations. The all causes rate for Fort Oglethorpe was about 40 percent lower

than that for the 50 stations combined, while the rate for Fort Des Moines was about 5 percent higher.

Morbidity from colds, influenza, etc. decreased from 145 per thousand in May to 101 per thousand in June which was about the same as the corresponding rate for the Army as a whole. Morbidity from these causes among the WAC exceeded 500 per thousand only at Fort Devens.

Morbidity from all forms of pneumonia was reported at 6 per thousand in June or about 50 percent lower than the corresponding rate for the Army as a whole.

Morbidity from diarrhea and dysentery for the WAC was reported at 12 per thousand which is about 4 percent higher than the June rate for the total Army.

Morbidity from all of the other communicable diseases shown in the following tables was relatively favorable.

In June neuropsychiatric disorders among the WAC accounted for an admission rate of 31 per thousand or about 40 percent lower than the peak rate reached in March.

The number of CDD's at the 50 selected WAC stations averaged about 20 per week during June or about the same as during February through May.

WOMEN'S ARMY CORPS (CONT'D)

As of 29 June there were 635 WAC patients remaining in hospital and quarters at the 50 selected stations. In addition to the 594 WAC's remaining in hospital at the selected stations there were 987 WAC's occupying beds in General Hospitals (exclusive of Tilton, Pickett and Walter Reed which are among the selected stations). The number of WAC's occupying beds at Station, Regional, and Convalescent Hospitals, exclusive of the 50 selected stations, was 1008. Thus, the total number of WAC's occupying hospital beds as of the end of June was about 2600 or about the same as the corresponding figure for the end of April and May.

The number of WAC's occupying hospital beds as of the end of June represented a rate of 34 per thousand strength of the WAC in the continental United States. For the total Army in the continental United States the corresponding figure was in the neighborhood of 29 per thousand when evacuees from overseas are excluded. Thus, whereas the over-all admission rate for WAC personnel is 25 percent higher than that for the Army as a whole, the incidence of serious conditions as reflected by the proportion of WAC personnel in hospital appears to be much the same as for other Army personnel.


WAC PERSONNEL OCCUPYING HOSPITAL BEDS, 29 JUNE 1945

<u>Service Command</u>	<u>General Hospitals</u>	<u>47 Selected Stations a/</u>	<u>All Other</u>	<u>Total</u>
1	65	10	53	128
2	155	61	67	283
3	71	52	73	196
MDW	27	90	1	118
4	182	113	199	494
5	143	9	38	190
6	60	11	26	97
7	84	91	76	251
8	144	32	168	344
9	165	16	307	488
Total	1096	485	1008	2589

a/ Excludes Tilton, Pickett, and Walter Reed General Hospitals which are shown in General Hospitals column.

MORBIDITY OF THE WAC AT SELECTED STATIONS FROM SELECTED CAUSES

CONTINENTAL UNITED STATES



HEALTH REPORT

FOR WAC PERSONNEL AT SELECTED STATIONS

VOLUME V REPORT NO. 27

FOR THE FIVE WEEK PERIOD ENDING 29 JUNE 1945

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH	ADMISSIONS													NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD	PATIENTS REMAINING AT END OF PERIOD		
		ANNUAL RATE PER 1000 STRENGTH				NUMBER OF CASES										ALL CAUSES	DISEASE		INJURY	HOSPITAL	QUARTERS
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.	PNEUMONIA		DIARRHEA AND DYSENTERY	MEASLES	MUMPS	SCARLET FEVER	M'COCCIG MENINGITIS	RHEUMATIC FEVER	TUBERCULOSIS	NEURO- PSYCHIATRIC						
TOTAL STATIONS (Annual Rate of Admis- sion per 1000 Strength)	31636	706	659	47	101	19	15	35	2	6	1	1	3		95				97	594	41
						(6)	(5)	(12)	(1?)	(2)					(31)						
FIRST SERVICE COMMAND																					
Boston PoE, Mass.	450	1247	1178	697	208															10	
Devens, Ft., Mass.	191	2569	2514	557	1585			2													4
SECOND SERVICE COMMAND																					
Dix, Ft., N. J.	348	896	896																		
Hamilton, Ft., N. Y.	368	904	791	1137	857	1	1	3					1		3				1	10	
Kilmer, Cp., N. J.	488	491	448	437							1									10	
Mitchel Field, N. Y.	642	227	211	167	497														6	18	
Monmouth, Ft., N. J.	336	774	588	186	317					1					1				1	7	
New Castle AAB, Del.	239	870	870		1747										1					8	
New York PoE, N. Y.	932	412	379	337	112			1													
Shanks, Cp., N. Y.	389	1123	963	160	187															8	
Tilton G.H., N. J.	463	787	787												4				1	54	
THIRD SERVICE COMMAND																					
Aberdeen Prov.Grd., Md.	551	454	359	957	151															6	2
Edgewood Arsenal, Md.	341	488	488		1227							1								3	
Geo. G. Meade, Ft., Md.	624	1183	1183		167	1	1	1							4				3	20	
Hampton Roads PoE, Va.	356	847	789	587	297																
Patrick Henry, Cp., Va.	264	831	791	407	797										3				3	23	
Pickett, Cp., Va.	391	771	691	807				1												22	

FORM SG-728 - 1 May 1944

RESTRICTED

HEALTH REPORT

FOR WAC PERSONNEL AT SELECTED STATIONS

VOLUME V REPORT NO. _____

FOR THE FIVE WEEK PERIOD ENDING 29 JUNE 1945

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH	ADMISSIONS														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD	PATIENTS REMAINING AT END OF PERIOD	
		ANNUAL RATE PER 1000 STRENGTH				NUMBER OF CASES										ALL CAUSES	DISEASE	INJURY		HOSPITAL	QUARTERS
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.	PNEUMONIA		DIARRHEA AND DYSENTERY	MEASLES	MUMPS	SCARLET FEVER	M'COCCIG MENINGITIS	RHEUMATIC FEVER	TUBERCULOSIS	NEURO- PSYCHIATRIC						
						ALL TYPES	ATYPICAL														
MIL. DIST. OF WASHINGTON																					
Arlington Hall Sta., Va.	1092	828	790	387	95			3													8
Belvoir, Ft., Va.	281	407	333	747	747			1										3	25		
Bolling Field, D. C.	800	586	547	397	527					1						3			5	16	
Gravelly Point, D.C. ATC	298	839	769	707	1407			2													2
Myer, Ft., Va.	1667	1217	1136	81	375	1		3								7			3	49	8
Walter Reed G. H., D.C.	312	600	600													1			7	33	
FOURTH SERVICE COMMAND																					
Benning, Ft., Ga.	790	541	501	407	537														11	11	
Bragg, Ft., N. C.	447	1209	1209		707					1										11	6
Drew Field, Fla.	320	684	619	657	1307			1												3	
Jackson, Ft., S. C.	343	1152	1061	917	917	1		7											1	11	2
MacDill Field, Fla.	350	506	506													1			1	10	
Maxwell Field, Ala.	333	938	875	637												2			2	19	
Oglethorpe, Ft., Ga.	5220	421	361	60	52	3	2	1					2		34				28	38	
Orlando, Fla. AAFORD	812	589	551	387	267			3							1					10	
Stewart, Cp., Ga.	87	1197	1197		1197																
FIFTH SERVICE COMMAND																					
Knox, Ft., Ky.	598	505	470	357	357	1	1	1											2	9	
Wright Field, Ohio	1242	469	444	257	75	1	1	1		1					2						1

FORM SG-728 - 1 May 1944

RESTRICTED

ARMY SERVICE FORCES, OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

HEALTH REPORT

FOR WAC PERSONNEL AT SELECTED STATIONS

VOLUME V REPORT NO. _____

FOR THE FIVE WEEK PERIOD ENDING 29 JUNE 1945

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH	ADMISSIONS														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD	PATIENTS REMAINING AT END OF PERIOD		
		ANNUAL RATE PER 1000 STRENGTH				NUMBER OF CASES										ALL CAUSES	DISEASE	INJURY				
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.	PNEUMONIA		DIARRHEA AND DYSENTERY	MEASLES	MUMPS	SCARLET FEVER	M'COCCIG MENINGITIS	RHEUMATIC FEVER	TUBERCULOSIS	NEURO- PSYCHIATRIC							
						ALL TYPES	ATYPICAL															
SIXTH SERVICE COMMAND																						
Romulus AAFld., Mich.	353	560	531	29?	147?																6	
Selfridge Field, Mich.	138	833	833		76?																5	
SEVENTH SERVICE COMMAND																						
2d AF Colorado Springs, Colo.	332	533	502	31?															2			
Crowder, Cp., Mo.	513	325	325		81?			1													11	
Des Moines, Ft., Iowa	4913	739	703	36	74	6	5		1	1					21				8	54	3	
Leonard Wood, Ft., Mo.	347	661	661		150?				1						1				1	16		
Riley, Ft., Kansas	427	1341	1195	146	171			1											3	10	4	
EIGHTH SERVICE COMMAND																						
Bliss, Ft., Texas	132	788	709	79?				1														
Hood, Cp., Texas	396	682	656	26?	52?	4	4	1		1										15		
New Orleans PoE, La.	356	672	614	58?																7		
Sam Houston, Ft., Texas	226	1111	1065	46?																		1
Sill, Ft., Okla.	236	1283	1150	133?	44?														1	10		
NINTH SERVICE COMMAND																						
Huachuca, Ft., Ariz.	95	789	769	110?	220?																3	
Lewis, Ft., Wash.	313	498	498		133?										1							
Reno AAB, Nev.	199	1099	1047	52?	314										2				1	4		
Stoneman, Cp., Calif.	295	1127	1127		38?										3				3	9		

FORM 56-728 - 1 May 1944

RESTRICTED

DEATHS BY CAUSE IN 1944

Tabulations of the Individual Medical Records, WD MD Form 52 have been completed for 1944 to show a distribution of U. S. Army deaths in the continental United States for the calendar year 1944. The data are based on cause of death rather than cause of original admission as is the case for mortality data recorded from the Statistical Health Report, Form 86ab (which are used in the material presented in the Weekly Health Reports).

The tabulation of the Individual Medical Records makes it possible to determine the completeness of the reporting on Form 86ab. In order to make proper comparisons as between disease, injury, and battle casualty deaths the Forms 52 were re-tabulated by cause of original admission; in most instances the general cause of death coincides with the original cause of admission. Several exceptions might be pointed out, namely: an individual admitted for a broken leg who later developed pneumonia and died; conversely a patient originally admitted for a minor communicable disease fatally injured in an automobile accident while on sick leave.

The total deaths on Form 86ab for 1944 were 5.9 percent lower than on Form 52; for disease there were 1.9 percent more than on Form 86ab, while for injury there was an understatement of 8.0 percent. The slight overstatement of disease deaths probably arises from differences in classification. Thus, in general, it appears that an approximate adjustment of about 10 percent should be made on injury deaths as reported on Form 86ab to allow for underreporting.

The following table presents the number of deaths per 100,000 strength for the U.S. Army in the continental United States in 1944 according to causes of death as derived from the tabulation of Form 52. In each injury group there are shown certain important subdivisions. The table also lists separately data for cases originating in the United States and cases evacuated from overseas which are not properly chargeable against the United States strength used as a base.

The death rate from all causes was 261 per 100,000 (or in other words 2.61 per thousand). Of this overall death rate, 11 per 100,000 or about 5 percent was attributable to patients evacuated from overseas. Deaths from disease accounted for a rate of 54 per 100,000 as contrasted with 207 per 100,000 from traumatisms. Thus, disease deaths represent only about 20 percent of the total. It is noteworthy that about 15 percent of the disease deaths were from cases originating overseas, whereas only about 1 percent of the traumatism deaths were from such cases.

Approximately 60 percent of the disease deaths were concentrated equally in the three major groups— infectious and parasitic diseases, neoplastic diseases, and diseases of the circulatory and lymphatic system. It is especially noteworthy that deaths from respiratory diseases accounted for a rate of only 4 per 100,000 in contrast with the high experience of the First World War (due to influenza).

Almost 40 percent of the deaths from traumatisms were caused by crushing while each of the three categories, wound, fractures, and all other traumatisms accounted for about 15 percent.

NUMBER OF DEATHS PER 100,000 STRENGTH, U. S. ARMY IN CONTINENTAL UNITED STATES, 1944

Cause of Death	Cases Originating			Cause of Death	Cases Originating		
	Total	U.S.	Oversea		Total	U.S.	Oversea
Infectious and Parasitic Diseases	10	8	2	Diseases of Digestive System	6	5	1
Tuberculosis, pulmonary	2	1	1	Stomach, peptic ulcer	*	*	*
Tuberculosis, other forms	1	1	*	Appendicitis	2	2	*
Meningitis, meningococcal	1	1	*	Duodenum, peptic ulcer	*	*	*
Scarlet fever	*	*	-	Liver diseases	2	1	1
Pneumonia, bacterial	2	2	*	All other	2	2	*
Diphtheria	*	*	*	Diseases of Genito-Urinary System	2	2	*
Measles	*	*	*	Nephritis	1	1	*
Poliomyelitis	1	1	-	All other	1	1	*
Hepatitis, infectious	*	*	*	All Other Diseases	2	2	*
All other	3	2	1				
Neoplastic Diseases	10	7	3				
Cancer and other malignant tumors	9	6	3				
All other, unspecified malignancy	1	1	*				
Diseases of Metabolism, Nutrition, Endocrine Glands and Hematopoietic System	3	2	1	TOTAL DEATHS FROM DISEASE	54	46	8
Diabetes mellitus	*	*	-				
Leukemia	2	1	1	TOTAL DEATHS FROM TRAUMATISMS	207	204	3
All other	1	1	*	Suicide	*	*	*
Neurological Diseases	4	4	*	Anesthesia, local and general	*	*	*
Diseases of Circulatory & Lymphatic System	13	12	1	Therapy	*	*	*
Rheumatic cardiovascular disease	1	1	*	Drowning	12	12	*
Myocardial disease	2	2	*	Amputation, traumatic	9	9	*
Arteriosclerosis of coronary artery	4	4	*	Wounds	28	27	1
Other coronary artery diseases	2	2	-	Fractures	27	26	1
Peripheral vessels diseases	1	1	*	Burns	14	14	*
All other	3	2	*	Concussion	3	3	-
Diseases of Respiratory System	4	4	*	Crushing	78	78	*
Pneumonia, primary, atypical	1	1	-	Poisoning	2	2	*
Pneumonia, unclassified	1	1	*	Shock	2	2	-
All other	2	2	*	Rupture	3	3	*
				All other	29	28	1
				TOTAL DEATHS FROM ALL CAUSES	261	250	11

* Less than .5 per 100,000